BRAIN RESEARCH

VOL. 710 NOS. 1,2 **CONTENTS** **26 FEBRUARY 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Long-term depression of a sympathetic ganglionic response to opioids by prolonged synaptic activity and by phorbol esters
C. Zhang, M. Bachoo and C. Polosa (Canada) 1

BDNF increases monoaminergic activity in rat brain following intracerebroventricular or intraparenchymal administration
J.A. Siuciak, C. Boylan, M. Fritsche, C.A. Altar and R.M. Lindsay (USA) 11

NADH in the pyramidal cell layer of hippocampal regions CA1 and CA3 upon selective inhibition and uncoupling of oxidative phosphorylation
M.W. Riepe, K. Schmalzigaug, F. Fink, K. Oexle and A.C. Ludolph (Germany) 21

Age-dependent increases in protein kinase C-$\alpha\beta$ immunoreactivity and activity in the human brain: possible in vivo modulatory effects on guanine nucleotide regulatory G_i proteins
X. Busquets, P. Ventayol, M. Sastre and J.A. García-Sevilla (Spain) 28

Sensitization of stress-induced feeding in rats repeatedly exposed to brief restraint: the role of corticosterone
A. Badiani, A. Jakob, D. Rodaros and J. Stewart (Canada) 35

Dynamic regulation of striatal dopaminergic grafts during locomotor activity
S. Hattori, T. Hashitani, N. Matsui and H. Nishino (Japan) 45

Loss of A1 adenosine receptors in human temporal lobe epilepsy
M. Glass, R.L.M. Faull, J.Y. Bullock, K. Jansen, E.W. Mee, E.B. Walker, B.J.L. Synek and M. Dragunow (New Zealand) 56

Catecholamine innervation of the piriform cortex: a tracing and immunohistochemical study in the rat
F. Datiche and M. Cattarelli (France) 69

Localisation of the adenosine uptake site in the human brain: a comparison with the distribution of adenosine A1 receptors
M. Glass, R.L.M. Faull and M. Dragunow (New Zealand) 79

Repetitive audiogenic seizures cause an increased acoustic response in inferior colliculus neurons and additional convulsive behaviors in the genetically-epilepsy prone rat
P. N'Gouemo and C.L. Faingold (USA) 92

Contrasting effects of electroconvulsive shock on mRNAs encoding the high affinity kainate receptor subunits (KA1 and KA2) and cyclophilin in the rat
R.H.P. Porter, P.W.J. Burnet, S.L. Eastwood and P.J. Harrison (UK) 97

Washable endogenous substances and regional heterogeneity in agonist enhanced [^{3}H]MK-801 binding in rat brain
L. McCoy and E.K. Richfield (USA) 103

Immunohistochemical expression of the c-Fos protein in the spinal trigeminal nucleus following presentation of a corneal airpuff stimulus
M.D. McEchron, P.M. McCabe, E.J. Green, J.M. Hitchcock and N. Schneiderman (USA, France) 112

Nanoparticles, a drug carrier system to pass the blood-brain barrier, permit central analgesic effects of i.v. dalargin injections
U. Schröder and B.A. Sabel (Germany) 121

Exogenous melatonin fails to counteract the light-induced phase delay of human melatonin rhythm
T. Hätönen, A. Alila and M.-L. Laakso (Finland) 125

Spinal release of immunoreactive dynorphin $A_{(1-8)}$ with the development of peripheral inflammation in the rat
R.C. Riley, Z.Q. Zhao and A.W. Duggan (UK, China) 131

Signal transduction for proliferation of glioma cells in vitro occurs predominantly through a protein kinase C-mediated pathway
G.H. Baltuch and V.W. Yong (Canada) 143

Inhibitions mediated by glycine and $GABA_A$ receptors shape the discharge pattern of bulbar respiratory neurons
K. Schmid, A.S. Foutz and M. Denavit-Saubié (France, Germany) 150

The neuroanatomical specificity of the anxiolytic effects of intra-septal infusions of midazolam
C. Pesold and D. Treit (Canada) 161

Traumatic neuroprotection with inhibitors of nitric oxide and ADP-ribosylation
R.A. Wallis, K.L. Panizzon and J.M. Girard (USA) 169

The medullary reticular formation is a site of muscle relaxant action of diazepam on deep back and neck muscles in the female rat
S. Schwartz-Giblin, M.M. McCarthy and A. Robbins (USA) 178

(contents continued on p. 310)

0006-8993(19960226)710:1/2;1-Z

BRAIN RESEARCH

VOL. 710 NOS. 1,2 **CONTENTS** **26 FEBRUARY 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Long-term depression of a sympathetic ganglionic response to opioids by prolonged synaptic activity and by phorbol esters
C. Zhang, M. Bachoo and C. Polosa (Canada) 1

BDNF increases monoaminergic activity in rat brain following intracerebroventricular or intraparenchymal administration
J.A. Siuciak, C. Boylan, M. Fritsche, C.A. Altar and R.M. Lindsay (USA) 11

NADH in the pyramidal cell layer of hippocampal regions CA1 and CA3 upon selective inhibition and uncoupling of oxidative phosphorylation
M.W. Riepe, K. Schmalzigaug, F. Fink, K. Oexle and A.C. Ludolph (Germany) 21

Age-dependent increases in protein kinase C-$\alpha\beta$ immunoreactivity and activity in the human brain: possible in vivo modulatory effects on guanine nucleotide regulatory G_i proteins
X. Busquets, P. Ventayol, M. Sastre and J.A. García-Sevilla (Spain) 28

Sensitization of stress-induced feeding in rats repeatedly exposed to brief restraint: the role of corticosterone
A. Badiani, A. Jakob, D. Rodaros and J. Stewart (Canada) 35

Dynamic regulation of striatal dopaminergic grafts during locomotor activity
S. Hattori, T. Hashitani, N. Matsui and H. Nishino (Japan) 45

Loss of A1 adenosine receptors in human temporal lobe epilepsy
M. Glass, R.L.M. Faull, J.Y. Bullock, K. Jansen, E.W. Mee, E.B. Walker, B.J.L. Synek and M. Dragunow (New Zealand) 56

Catecholamine innervation of the piriform cortex: a tracing and immunohistochemical study in the rat
F. Datiche and M. Cattarelli (France) 69

Localisation of the adenosine uptake site in the human brain: a comparison with the distribution of adenosine A1 receptors
M. Glass, R.L.M. Faull and M. Dragunow (New Zealand) 79

Repetitive audiogenic seizures cause an increased acoustic response in inferior colliculus neurons and additional convulsive behaviors in the genetically-epilepsy prone rat
P. N'Gouemo and C.L. Faingold (USA) 92

Contrasting effects of electroconvulsive shock on mRNAs encoding the high affinity kainate receptor subunits (KA1 and KA2) and cyclophilin in the rat
R.H.P. Porter, P.W.J. Burnet, S.L. Eastwood and P.J. Harrison (UK) 97

Washable endogenous substances and regional heterogeneity in agonist enhanced [^{3}H]MK-801 binding in rat brain
L. McCoy and E.K. Richfield (USA) 103

Immunohistochemical expression of the c-Fos protein in the spinal trigeminal nucleus following presentation of a corneal airpuff stimulus
M.D. McEchron, P.M. McCabe, E.J. Green, J.M. Hitchcock and N. Schneiderman (USA, France) 112

Nanoparticles, a drug carrier system to pass the blood-brain barrier, permit central analgesic effects of i.v. dalargin injections
U. Schröder and B.A. Sabel (Germany) 121

Exogenous melatonin fails to counteract the light-induced phase delay of human melatonin rhythm
T. Hätönen, A. Alila and M.-L. Laakso (Finland) 125

Spinal release of immunoreactive dynorphin $A_{(1-8)}$ with the development of peripheral inflammation in the rat
R.C. Riley, Z.Q. Zhao and A.W. Duggan (UK, China) 131

Signal transduction for proliferation of glioma cells in vitro occurs predominantly through a protein kinase C-mediated pathway
G.H. Baltuch and V.W. Yong (Canada) 143

Inhibitions mediated by glycine and $GABA_A$ receptors shape the discharge pattern of bulbar respiratory neurons
K. Schmid, A.S. Foutz and M. Denavit-Saubié (France, Germany) 150

The neuroanatomical specificity of the anxiolytic effects of intra-septal infusions of midazolam
C. Pesold and D. Treit (Canada) 161

Traumatic neuroprotection with inhibitors of nitric oxide and ADP-ribosylation
R.A. Wallis, K.L. Panizzon and J.M. Girard (USA) 169

The medullary reticular formation is a site of muscle relaxant action of diazepam on deep back and neck muscles in the female rat
S. Schwartz-Giblin, M.M. McCarthy and A. Robbins (USA) 178

(contents continued on p. 310)

0006-8993(19960226)710:1/2;1-Z

(contents continued)

Rats bred for enhanced apomorphine susceptibility have elevated tyrosine hydroxylase mRNA and dopamine D_2-receptor binding sites in nigrostriatal and tuberoinfundibular dopamine systems
N.Y. Rots, A.R. Cools, A. Bérod, P. Voorn, W. Rostène and E.R. De Kloet (The Netherlands, France) 189
Role of substance P in the modulation of C-fiber-evoked responses of spinal dorsal horn neurons
D. Budai and A.A. Larson (USA) 197
Cerebral blood flow increases evoked by electrical stimulation of rat cerebellar cortex: relation to excitatory synaptic activity and nitric oxide synthesis
N. Akgören, P. Dalgaard and M. Lauritzen (Denmark) 204
Receptor binding sites and uptake activities mediating GABA neurotransmission in chronic alcoholics with Wernicke encephalopathy
P.R. Dodd, J.J. Kril, G.J. Thomas, W.E.J. Watson, G.A.R. Johnston and C.G. Harper (Australia) 215
Glutathione release and catabolism during energy substrate restriction in astrocytes
B.H.J. Juurlink, E. Schültke and L. Hertz (Canada) 229
Roles of dopamine D_1 receptors in Δ^9-tetrahydrocannabinol-induced expression of Fos protein in the rat brain
A. Miyamoto, T. Yamamoto, M. Ohno, S. Watanabe, H. Tanaka, S. Morimoto and Y. Shoyama (Japan) 234
Effect of morphine on dynorphin B and GABA release in the basal ganglia of rats
Z.-B. You, M. Herrera-Marschitz, I. Nylander, M. Goiny, J. Kehr, U. Ungerstedt and L. Terenius (Sweden) 241
Unilateral lesions of the forelimb area of rat motor cortex: lack of evidence for use-dependent neural growth in the undamaged hemisphere
M.L. Forgie, R. Gibb and B. Kolb (Canada) 249

Short communications

Morphological evidence for recurrent jaw-muscle spindle afferent feedback within the mesencephalic trigeminal nucleus
P. Luo and D. Dessem (USA) 260
The basal forebrain cholinergic system and object memory in the rat
N. Vnek, L.F. Kromer, R.G. Wiley and L.A. Rothblat (USA) 265
In vivo microdialysis study on changes in septal dynorphin and β-endorphin activities in active and hibernating Columbian ground squirrels
Y. Cui, T.F. Lee and L.C.H. Wang (Canada) 271
Inhibition by the neurosteroid allopregnanolone of basal and stress-induced acetylcholine release in the brain of freely moving rats
L. Dazzi, A. Sanna, E. Cagetti, A. Concas and G. Biggio (Italy) 275
Preferred axis of rotation of floccular Purkinje cells in the decerebrate cat
K.D. Powell, K.J. Quinn, B.W. Peterson and J.F. Baker (USA) 281
Homologous desensitization of human corticotropin-releasing $factor_1$ receptor in stable transfected mouse fibroblast cells
K.D. Dieterich, D.E. Grigoriadis and E.B. De Souza (USA) 287
Estimating the synaptic concentration of norepinephrine in dentate gyrus which produces β-receptor mediated long-lasting potentiation in vivo using microdialysis and intracerebroventricular norepinephrine
C.W. Harley, M.D. Lalies and D.J. Nutt (Canada, UK) 293
The basic amino acid transporter (rBAT)-like immunoreactivity in paraventricular and supraoptic magnocellular neurons of the rat hypothalamus
S. Hisano, H. Haga, K.-I. Miyamoto, E. Takeda and Y. Fukui (Japan) 299
Distribution of AMPA-selective glutamate receptor subunits in the cat retina
P. Qin and R.G. Pourcho (USA) 303

Author Index 308